




SGB-SMIT POWER MATLA

Your dedicated partner
of the SGB-SMIT Group

SMALL DISTRIBUTION TRANSFORMERS



SGB-SMIT AT A GLANCE

Combined, more than

450



YEARS OF EXPERIENCE

Basis for know-how and
for know-why

More than

3,500



EMPLOYEES

take care of
your project

In more than

80



COUNTRIES

satisfied
customers



READY FOR YOUR MARKET

The SGB-SMIT Group manufactures transformers for applications worldwide. Sales and service centers on all continents ensure optimum processes.

Our products meet the requirements in accordance with the applicable national standards.



PRODUCTS

- large power transformers
- medium power transformers
- large liquid-cooled distribution transformers
- liquid-cooled distribution transformers
- cast resin transformers
- shunt reactors
- series reactors
- phase shifters
- Lahmeyer-Compactstationen®

Transformers from 50 kVA up to incl. 1,200 MVA in the voltage range up to 765 kV.



QUALITY MANAGEMENT

The SGB-SMIT Group is certified in accordance with:

- DIN ISO 9001
- DIN ISO 14001
- DIN ISO 50001
- OHSAS 18001



TECHNOLOGIES

Technologies for conventional and
renewable energy.

SGB SMIT POWER MATLA

A MEMBER OF THE SGB-SMIT GROUP



SGB-SMIT POWER MATLA has over 70 years experience in successful design, manufacturing, testing, installation and commissioning of a full range of power and distribution transformers which include large power transformers of voltages up to 800MVA.

SGB-SMIT POWER MATLA

SGB-SMIT POWER MATLA (Pty) Ltd is owned by SGB-SMIT (GmbH) and Power Matla.

SGB-SMIT, is the largest independent and pure-play transformer manufacturer in the world, with headquarters in Regensburg, Germany. They are represented on 5 continents in 8 countries with plants in Germany, the Netherlands, USA, Romania, Malaysia, India, China and the Czech Republic. With transformer expertise since 1913 they produce transformers ranging from 50 kVA up to 1,200 MVA.

Power Matla (Pty) Ltd is a locally owned black empowered company with investments in various portfolios within the renewable energy, ICT, mining and power utilities markets providing good shareholder value and solid returns.

The company consists of Large Power Transformers manufacturing plant in Pretoria and Distribution Transformers plant in Cape Town and supplies a full range of transformers, from generator step-up to transmission and distribution transformers. The range includes three-phase and single-phase units, auto-transformers, arc-furnace, locomotive and traction transformers, miniature sub-stations, NECRT's as well as shunt reactors.

"CUSTOM DESIGNED"

Every SGB-SMIT POWER MATLA unit is custom-made from standardised design elements and using uniform manufacturing operations. This flexible, but well co-ordinated approach ensures the highest quality of design and construction for all our transformers and makes the best possible use of the valuable knowledge and experience gained over the years and best practices developed in our factory.

The Large Power Transformer factory in Pretoria is a well-equipped factory and is amongst the biggest and most sophisticated transformer manufacturing plants within the Southern Hemisphere and one of two large transformer manufacturers within sub-Saharan Africa.

The Distribution Transformers factory in Cape Town has been manufacturing distribution transformers and miniature substations for more than 60 years.



SMALL, MEDIUM AND LARGE POWER TRANSFORMERS ALL OVER THE WORLD



- 1 Shipping
- 2 Oil & Gas
- 3 Solar Power Stations
- 4 Power Plants
- 5 Onshore
- 6 Offshore
- 7 Power Distribution
- 8 Railway
- 9 Industry
- 10 High Buildings / Data Center
- 11 Hydro Power

OVERVIEW

SGB-SMIT POWER MATLA is one of South Africa's largest and most experienced manufacturers of distribution transformers. Designed, tried and tested under the harshest of African conditions, our distribution transformers and miniature substations have proven themselves for more than 70 years. Our experience ensures our products are manufactured to meet the needs of local conditions whilst meeting all major national and international standards. Our products are used in utilities, local authorities, mines, industrial plants and motor manufacturers.

Our distribution transformer range starts at 16kVA to 5MVA transformers with primary voltages of up to 36kV and 200kVA to 2500kVA miniature substations with primary voltages of up to 36kV. We also produce neutral earthing resistors (NER's), neutral earthing compensators (NEC's) and NECRT combinations.

QUALITY, HEALTH, SAFETY & ENVIRONMENT

The distribution transformer plant located in Epping 2 (Western Cape) has a fully certified ISO 9001 quality management system, ISO 14001 environmental management system, as well as the ISO 45001 health and safety management system, ensuring stringent quality assurance programmes, in accordance with the very specific requirements is rigidly adhered to. This leads to products of the highest quality

The transformers and miniature substations carry the SABS Mark of Approval. At every stage during manufacturing, the materials and processes are inspected by suitably qualified and experienced inspectors, to ensure all required standards and manufacturing practices are adhered to.





SUPPLY CHAIN

SGB-SMIT POWER MATLA prides itself in our ability to leverage our global network. We also manufacture most of the transformer structural components in-house. Raw materials and components not manufactured in-house are sourced from world class suppliers. Procurement of material and components is done from a list of pre-qualified suppliers, locally and internationally, who are certified to conform with the highest standards in terms of Quality (ISO9001), Health and Safety (ISO 45001) as well as Environmental (ISO 14001) respectively.

Before a supplier is approved, their capability is assessed, by taking into consideration their technical ability; quality control system; safety, health and environmental controls; financial viability as well as other commercial factors. Supply Level Agreements are put in place with key suppliers to ensure availability of stock and continuity of supply. A number of enterprise development initiatives are considered for development of small independent business units.

SGB-SMIT POWER MATLA applies strict control of incoming raw material from pre-qualified suppliers. All incoming goods are quality-controlled and checked before they are released into the sub-assembly manufacturing lines. Where certification is required, the raw material is sent to our on-site SANAS accredited laboratory in Pretoria for material analysis, verification and certification. Any non-conforming product is rejected and returned to the supplier for rectification or replacement.

SMALL DISTRIBUTION TRANSFORMERS

All small distribution transformers manufactured within our factory in Cape Town comply with SANS 780 and/or SANS/IEC 60076.

Distribution transformer low voltage windings are made of copper. The low voltage windings are made of predominantly aluminium foil, but in certain ranges copper or aluminium foil and paper covered strip conductors are used. Diamond dot paper is used for interlayer insulation on the foil windings as this adds mechanical strength.

Core and winding assemblies are clamped by means of top and bottom yoke clamps.

All small distribution transformers cores are made of grain oriented, low loss magnetic cold-rolled silicon steel. Both sides of steel sheets are laminated with ceramic insulation.

Small distribution transformers are painted in any colour according to customer specification and requirement.

SMALL DISTRIBUTION TRANSFORMERS MADE BY SGB-SMIT POWER MATLA



DESIGN AND MANUFACTURE

Customer drawings are prepared for tender designs and finalised on order placement. All electrical and mechanical designs undergo an internal design review process. External design reviews by customers are also allowed for in the design process.

The core construction is optimised for cold-rolled steel properties so that best parameters for magnetic circuit are obtained, i.e. minimum no-load losses and small magnetising power.



CORROSION PROTECTION

The exterior and interior surfaces of the transformer tank, cover and conservator (when fitted) are carefully degreased. Rust and millscale is removed by a process of acid pickling or shot blasting.

The exterior surfaces of inland units are thereafter given a coat of high build primer, followed by a coat of high build alkyd base full gloss enamel, giving a total dry film thickness of at least 75µm. The method of application employed is either flow coating or spray painting.

Coastal units are shot blasted and hot zinc metal sprayed prior to painting to a finish of 125µm. Alternatively, twin pack; three coat systems, as used by ESKOM, are also available.





MANUFACTURING PROCESS

The complete active part is processed in an oven to remove excessive moisture content. Following the drying cycle and within a prescribed time, pressure is applied to the windings, the unit is tanked and filled with heated, degassed and purified oil. This takes place under vacuum filling conditions.

On offer is a range of cooling methods such as ONAN and KNAN (Ester fluids).




TRANSFORMER TANKS

Hermetically sealed transformers incorporate a tank with corrugated or tube radiator fins.

The transformer tank has a sturdy design that allows for normal transportation of an oil-filled transformer without any damage resulting from vibration.

Free breathing transformers have fixed or removable panel radiators and isolating valves.





TESTING

Routine tests according to SANS 780 and SANS/IEC 60076 are made on every transformer prior to despatch:

- Measurement of winding resistance
- Measurement of voltage ratio and verification of polarity and connection symbol
- Measurement of impedance voltage and load loss
- Measurement of no - load loss and no - load current
- Induced overvoltage withstand test
- Separate - source voltage withstand test
- Measurement of paint thickness
- Test for effectiveness of sealing

Type tests to SANS 780 and SANS/IEC 60076 can be undertaken on request:

- Full impulse voltage withstand test
- Full and chopped impulse voltage withstand test
- Temperature rise test
- Tank stiffness test

Special tests to SANS 780 and SANS/IEC 60076 can also be made on request.

- Short circuit withstand test (subject to limitations of SABS high current laboratory equipment)
- Measurement of audio sound level

TECHNICAL SPECIFICATION

Range

16 - 315kVA

Primary Voltage

Up to and including 36kV

Tappings

External tapping connection (single phase) or off-circuit tap switch (OCTS)

Terminations

HV outdoor open bushings
Alternatively HV and LV cable boxes
Mineral oil to IEC 296 and SANS 555

Tank Construction

Sealed welded cover
Sealed bolted cover
Free breathing with conservator

Cooling

ONAN and KNAN (Ester liquids)



DIMENSIONS (APPROXIMATELY ONLY)

KVA	KV	Phases	Vector	Tappings	Length (mm)	Width (mm)	Height (mm)	Mass (kg)
16	11	Single	SER/PAR	±5% on the LV	655	680	630	170
16	22	Single	SER/PAR	±5% on the LV	705	810	600	200
32	11	Single	SER/PAR	±3% to ±6%	680	700	770	245
32	22	Single	SER/PAR	±3% to ±6%	735	845	690	270
25	11	Three	Dyn 11	±3% to ±6%	850	700	705	280
25	22	Three	Yzn 11	±3% to ±6%	830	825	725	325
50	11	Three	Dyn 11	±3% to ±6%	840	725	810	400
50	22	Three	Yzn 11	±3% to ±6%	925	840	800	445
100	11	Three	Dyn 11	±3% to ±6%	1160	770	755	550
100	22	Three	Dyn 11	±3% to ±6%	1210	910	765	615
200	11	Three	Dyn 11	±3% to ±6%	1225	925	1145	950
200	22	Three	Dyn 11	±3% to ±6%	1285	1015	1145	980
315	11	Three	Dyn 11	±3% to ±6%	1290	950	1245	1200
315	22	Three	Dyn 11	±3% to ±6%	1315	1105	1225	1270



TECHNICAL SPECIFICATION

Mounting arrangement

Single pole mounting with bracket (up to 100kVA), or flat under base for pole platform mounting


Fittings

- Lifting lugs
- Earth terminals
- Surge arrester brackets or arcing horns (when specified)
- Rating and diagram plate
- Drain valve (when specified)

Standards

SANS/IEC 60076 and SANS 780







SGB-SMIT POWER MATLA

Your dedicated partner
of the SGB-SMIT Group

CONTACT



STARKSTROM-GERÄTEBAU GMBH

Regensburg • Germany
Phone +49 941 7841-0



SÄCHSISCH-BAYERISCHE STARKSTROM-GERÄTEBAU GMBH

Neumark • Germany
Phone +49 37600 83-0



ROYAL SMIT TRANSFORMERS B.V.

Nijmegen • The Netherlands
Phone +31 24 3568-911



SMIT TRANSFORMER SERVICE

Nijmegen • The Netherlands
Phone +31 24 3568-626



RETRASIB S.A.

Sibiu • Romania
Phone +40 269 253-269



SGB CZECH TRAFO S.R.O.

Olomouc • Czech Republic
Phone +420 605 164860



BCV TECHNOLOGIES

Fontenay-le-Comte • France
Phone +33 251 532200



SMIT TRANSFORMER SALES INC.

Summerville, SC • USA
Phone +1 843 871-3434



SGB-USA INC.

Louisville, OH • USA
Phone +1 330 871-2444



OTC SERVICES INC.

Louisville, OH • USA
Phone +1 330 871-2444



SGB MY SDN. BHD.

Nilai • Malaysia
Phone +60 6 799 4014



SGB TRANSFORMERS INDIA PVT. LTD.

Chennai • India
Phone +91 44 45536147



SGB CHINA

Yancheng • P.R. China
Phone +86 515 88392600



SGB-SMIT POWER MATLA

Pretoria West • South Africa
Phone +27 12 318 9911
Cape Town • South Africa
Phone +27 21 505 3000

SGB-SMIT POWER MATLA

1 Buitenkant Street, Pretoria West
8 Eliot Avenue, Epping 2, Cape Town
Phone +27 12 318 9911
Fax +27 86 524 7167
e-mail info@sghsmitpowermatla.com

www.sghsmitpowermatla.com
www.sgb-smit.com

